




FR Garniture pour mitigeur thermostatique THG avec inverseur 2 sorties ref. 5500AE avec boîtier d'encastrement

EN Trim for THG thermostat with stop valve and 2 way diverter, -ref. 5500AE with box for rough parts

CN 恒温混合阀THG带分流器2出口ref.5 500AE带冲洗安装盒

DE Garnitur für Unterputz-Thermostat THG, Ref. 5500AE, mit Temperatureinstellung, Absperr- und 2-Wege-Umstellfunktion

ES Parte exterior del termostático con un inversor y 2 salidas (para ref 5500AE con caja de empujar)

IT Guarnizione per valvola miscelatrice termostatica THG con invertitore a 2 uscite rif.5 500AE con scatola da incasso

NL Pakking voor thermostatische mengkraan THG met omleider 2 uitgangen ref.5 500AE met inbouwbehuizing

RU Гарнитура для термостатического смесителя THG с инвертором, 2 выходами арт.5 500AE с корпусом для встройки

AR تجهيزات إضافية للخلط المنظم للحرارة THG مع محول لديه مخرجين الرمز المرجعي 5500AE مرفق بصندوق الدمج

Outillage (Non-fourni)

Tools (Not provided)

工具 (自备)

Werkzeuge (Nicht mitgeliefert)





Herramientas (no suministradas)

Utensili (non forniti)

Gereedschap (Niet meegeleverd)

инструменты (Не обеспечен)

الأدوات (غير مرفقة)



Ref. 5500AE

Assurez vous d'avoir purgé les canalisations et vérifié l'étalonnage de la cartouche

Make sure you have purged the water pipes, and checked the calibration of the cartridge

确保已清空管道并检查滤芯的校准

Stellen Sie sicher, dass Sie die Kanäle gespült und die Kalibrierung der Kartusche überprüft haben

Asegúrese de que ha limpiado los conductos y verificado la calibración del cartucho





Assicurarsi di aver spurgato le condutture e controllato la calibrazione della cartuccia

Zorg ervoor dat u de leidingen hebt ontlucht en de kalibratie van de cartouche hebt gecontroleerd

Убедитесь, что вы прочистили трубопроводную сеть и проверили калибровку картриджа


تشوطين الخلل في قنوات المياه والتأكد من معايرة الكارتريج







5400AE




* Cote de découpe pour le boîtier
Cut-out dimensions for box

** Cote de découpe pour le manchon
Cut-out dimension for sleeve






5.1









5.2





ou
or
或
oder
o
o
of
или
أو



5.2






The diagram illustrates the assembly of the THG PARIS 1000 door handle in three configurations: B, C, and D. The components are numbered 1 through 6, and the assembly steps are indicated by dashed lines.





Configuration B: Shows the base plate (1) being installed into the door. The handle (2) is then attached to the base plate. The spindle (3) is inserted into the handle and the base plate. The lock cylinder (4) is then inserted into the spindle.

Configuration C: Shows the base plate (1) being installed into the door. The handle (2) is then attached to the base plate. The spindle (3) is inserted into the handle and the base plate. The lock cylinder (4) is then inserted into the spindle. The key (5) is then inserted into the lock cylinder.


Configuration D: Shows the base plate (1) being installed into the door. The handle (2) is then attached to the base plate. The spindle (3) is inserted into the handle and the base plate. The lock cylinder (4) is then inserted into the spindle. The key (5) is then inserted into the lock cylinder. The key (6) is then inserted into the lock cylinder.

A detailed view of the handle assembly is shown on the right, with a callout for the THG PARIS 1000 logo.











7





ou
or
或
oder
o
o
of
или
أو












Possibilité de couper
Possible to cut








Montage des croisillons - manettes / Handle - lever assembly / 装配十字接头 - 手柄 / Montage von Traversen - Armaturen / Montaje de separadores - palancas / Montaggio dei transetti - manopole / Montage kraanknoppen - handgreep / Монтаж крестообразных рукояток - рычагов / تركيب ضوابط صليبية-مقابض







(9b)




Réglage de température / Temperature adjustment / 温度校准 / Temperatureinstellung / Ajuste de temperatura / Regolazione della temperatura / Instellen van temperatuur / Регулировка температуры / ضبط الحرارة






Ref. G00.5100C



Ref. G00.5100G



Ref. G00.5100H



Ref. G00.6596

Insert plastique strié

Notice d'installation / Installation instructions / 安装说明 / Installationsanleitung / Instrucciones de instalación
Istruzioni per l'installazione / Installatie handleiding / Инструкции по установке / إرشادات التركيب



FR Insert plastique strié

EN Grooved plastic insert

CN 条纹塑料插件

DE Geriffelter Kunststoffeinsatz




ES Inserto plástico estriado





IT Inserto in plastica striata


NL Gegroefde kunststof inleg

RU Пластиковая рубчатая прокладка

ملحق بلاستيكي مُحزَّر **AR**







Répéter l'opération jusqu'à obtenir la position verticale ou horizontale (19 positions possibles)

Repeat the procedure until you obtain the right vertical or horizontal position (19 possible positions)

重复操作，直到达到垂直或水平位置（可能有 19 个位置）

Wiederholen Sie den Vorgang, bis die vertikale oder horizontale Position erreicht ist (19 mögliche Positionen)

Repetir la operación hasta obtener la posición vertical u horizontal (19 posiciones posibles)

Ripetere l'operazione fino al raggiungimento della posizione verticale o orizzontale (sono possibili 19 posizioni)

Herhaal de handling totdat u de verticale of horizontale positie bereikt (19 mogelijke posities)

Повторяйте операцию, пока не достигнете вертикального или горизонтального положения (возможны 19 положений)

كرر العملية إلى غاية الحصول على الوضع العمودي أو الأفقي (٩١ وضعاً ممكناً)

THG[®]
P A R I S